

La Commission

N/Réf : 001-2025/DSAF/DACM

ADDENDUM

AU DOSSIER D'APPEL D'OFFRES OUVERT N°013/2025/AO/COM DU 30 AVRIL
2025 POUR LA REALISATION DES TRAVAUX DE CONTROLE D'ACCES ET DE
VIDEOSURVEILLANCE SUR LES SITES DES ORGANES DE L'UEMOA

Les candidats à l'appel d'offres ouvert ci-dessus sont informés de la modification du dossier d'appel d'offres par le présent addendum.

Cet addendum fait partie intégrante du dossier d'appel d'offres pour la « REALISATION DES TRAVAUX DE CONTROLE D'ACCES ET DE VIDEOSURVEILLANCE SUR LES SITES DES ORGANES DE L'UEMOA » et le modifie ainsi qu'il suit :

Article 1 : le cadre du devis quantitatif est modifié. Les items ci après sont à prendre en compte :

Lire :

N°	DESIGNATION DES OUVRAGES	U	Qté	Prix Unitaire HT/HD en FCFA	Prix Total HT/HD en FCFA
	PERIPHERIE CEAO SIEGE				
	Caméra dôme PTZ (fonction : tracking) - MODELE :DS-2DE7A432IW-AEB(O-STD)(T5) HIKVISION 1/1.8" progressive scan CMOS · High quality imaging with 4 MP resolution · Excellent low-light performance with powered-by-DarkFighter technology · Audio visual alarm: The white flashing light and audible warning can be triggered by certain events · 32× optical zoom and 16× digital zoom provide close up views over expansive areas · Expansive night view with up to 200 m IR distance · Focuses on human and vehicle targets classification based on deep learning · Face capture: Up to 5 faces captured at the same time -Périphérie/concession (1)	U	23		

POE,LAS60-57CN-RJ45,60W 60W PoE injector caméra PTZ RJ45interface,1000M	U	23		
AC Power Cable caméra PTZ ,Europen Standard,C13,1.5m	U	23		
Support caméra PTZ DS-1604ZJ-BOX	U	23		
Mat caméra PTZ	U	23		
Caméra bullet - Caméras fixe d'extérieur/intérieur à objectif standard (fonction : surveillance des accès) HIKVISION - DS-2CD2646G2HT-IZS(2.8-12mm)(eF)(O-STD) 4 MP 1/3" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Color: 0.001 Lux @ (F1.0, AGC ON),0 Lux with light; 25fps/30fps (2688 × 1520, 1920 × 1080, 1280 × 720) ; VCA functions; 3 streams; 3D DNR; BLC; ICR; EXIR, Up to 40 m; DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; HIK-Connect cloud service; *Junction box is included in the camera package - Accès hall ascenseur (1)	U	11		
Caméra Bullet longue portéeCaméras fixes d'extérieur à objectif longue portée (fonctions : détections de franchissement et d'approche) - MODELE : DS-2CD3A26G2T-IZS(4.7-71mm)(O-STD) (HIKVISION) 2MP Powered by Darkfighter technology;1/2.8" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG;50fps/60fps(1920×1080);15x optical zoom (4.7~71mm) lens with Smart Focus ; Auto iris,Color: 0.002 Lux @ (F1.4, AGC ON),0 Lux with IR ; IR range: up to 150m; VCA functions; 4 streams; 3D DNR; BLC; ICR; EXIR; AC24&DC12V&PoE(802.3af); Built-in micro SD/SDHC/SDXC slot; Built-in Audio/Alarm I/O, Alarm:2/2, Audio:1/1,;IP67;IK10;HIK-Connect cloud service;	U	7		
DS-3E1552P-SI Smart Managed 48-Port Gigabit PoE Switch IEEE 802.3af/at PoE standard 8 x Gigabit PoE Ports, 2 x gigabit RJ45, 2 x fiber	U	1		

optical ports Total PoE Power Budget 470W PoE Watchdog, STP/RSTP, VLAN, SNMP, QoS 104 Gbps Switching Capacity 16 K MAC Address Entries				
--	--	--	--	--

Article 2 : Les autres dispositions du dossier d'appel d'offres restent inchangées.

**Pour Le Commissaire chargé du Département
des Services Administratifs et Financiers
et par Délégation,
Le Directeur de Cabinet**


Lassana FOFANA

